What is claimed is:

T	1.	A method, comprising.
2		defining a plurality of hardware devices as a plurality of objects;
3		providing a plurality of tools to perform a plurality of operations on
4	the plurality	of objects;
5		executing a software program to use the plurality of tools; and
6		responding to the plurality of operations by the plurality of
7	hardware de	vices.
1	2.	The method of claim 1, wherein defining the plurality of hardware
2	devices as a	plurality of objects further comprises:
3		assigning a plurality of properties to the plurality of hardware
4	devices; and	
5		assigning a plurality of methods to the plurality of hardware
6	devices.	
1	3.	The method of claim 2, wherein defining the plurality of hardware
2	devices as a	plurality of objects further comprises:
3		assigning a plurality of events to the plurality of hardware devices.
1	4.	The method of claim 3, wherein providing a plurality of tools to
2	perform oper	ations on the plurality of objects further comprises:
3		providing a function for invoking a method of an object;
4	M	providing a function for setting a property of an object; and
5	X	providing a function for retrieving a property of an object.

objects.

1	5.	The method of claim 3, wherein providing a plurality of tools to	
2	perform operations on the plurality of objects further comprises:		
3		providing a function for monitoring an event of an object; and	
4		providing a function for ending monitoring an event of an object.	
1	6.	An article comprising a medium storing instructions that cause a	
2_	processor-b	ased system to:	
3		receive a request from a software program;	
4		act upon a plurality of objects based upon the request received	
(5	and		
f		manipulate a plurality of hardware devices modeled by the plurality	
7	of objects.		
1	7.	The article of claim 6, further storing instructions that cause a	
2	processor-b	ased system to use a plurality of configuration library tools to act	
3	upon a plurality of objects.		
1	8.	The article of claim 7, further storing instructions that cause a	
2	processor-b	ased system to invoke a plurality of methods of the plurality of	
3	objects.		
1	9.	The article of claim 7, further storing instructions that cause a	
2	processor-based system to retrieve a plurality of properties of the plurality of		

10. The article of claim 7, further storing instructions that cause a		
processor-based system to monitor a plurality of events for the plurality of		
objects.		
11. A system, comprising:		
a processor;		
a plurality of hardware devices; and		
a medium including a software program which:		
models the plurality of hardware devices as a plurality of		
objects, wherein the plurality of objects comprise a plurality of methods and a		
plurality of properties;		
provides a plurality of tools for performing a plurality of		
operations on the plurality of objects; and		
invokes the plurality of hardware devices to respond to the		
plurality of operations performed on the plurality of objects.		
12. The system of claim 11, wherein the software program further		
models the plurality of hardware devices as a plurality of events.		
13. The system of claim 11, wherein the software program further		
performs operations on the plurality of objects by invoking one of the plurality of		

14. The system of claim 11, wherein the software program further performs operations on the plurality of objects by setting one of the plurality of properties of one of the plurality of objects.

methods of one of the plurality of objects.

1	15.	The system of claim 12, wherein the software program further	
2	performs operations on the plurality of objects by monitoring one of the plurality		
3	of events of	one of the plurality of objects.	
1	16.	A system, comprising:	
2		a processor;	
3		a plurality of disks; and	
4		a memory storing software which:	
5		models the plurality of disks as a plurality of disk objects;	
6		provides a plurality of tools for performing a plurality of	
7	operations on the plurality of disk objects; and		
8		invokes a response by the plurality of disks to the plurality of	
9	operations performed on the plurality of disk objects.		
1	17.	The system of claim 16, wherein the software program is stored in	
2	the memory	' ,	
1	18.	The system of claim 16, further comprising:	
2		a plurality of buses; and	
3		a plurality of controllers.	

1	19.	The system of claim 18, further comprising a memory storing
2	software wh	ich:
3		models the plurality of buses as a plurality of bus objects; and
4		models the plurality of controllers as a plurality of controller
5	objects.	
1	20.	The system of claim 19, further comprising a memory storing
2	software wh	ich:
3		models the plurality of volumes as a plurality of volume objects;
4	and	
5		models the plurality of arrays as a plurality of array objects.
1	21.	The system of claim 20, further comprising a memory storing
2	software wh	ich invokes a response to the plurality of operations by:
3		the plurality of buses for operations performed on the plurality of
4	bus objects;	and
5		the plurality of controllers for operations performed on the plurality
6	of controller	objects.
1	22.	An object comprising:
2		a plurality of methods to model operations performed upon a
3	device;	
4		a plurality of properties to model attributes of the device; and
5		a plurality of events to model actions of the device.

	Ţ	
1	23.	The object of claim 22, wherein the methods comprise parameters
2	of the object	t.
	\	
1	24.	The object of claim 23, wherein the parameters comprise
2	properties o	of the object.
1	25.	A system comprising:
2		an interface, comprising:
3		a plurality of functions; and
4		a plurality of objects coupled to the plurality of functions;
5	and	
6		a plurality of devices coupled to the interface, wherein a
7	software pro	ogram may dontrol the plurality of devices by communicating with the
8	interface.	
1	26.	The system of claim 25, wherein the plurality of functions further
2	comprises a	function for retrieving a property of one of the plurality of objects.
1	27.	The system of claim 26, wherein the function for retrieving a
2	property of	one of the plurality of functions further comprises:
3		a parameter to identify the object for which the property is
4	retrieved;	
5		a parameter to identify the property to be retrieved; and
6		a parameter for storing a result.
		\
7	18 61	
11	1 20 1101	